

| Version | 1.0 |
|----------|-----|
| 10101011 | 1.0 |

Revision Date 01/15/2019

Print Date 10/10/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name | : | A07246 ZEP 70 003001 20N15 |
|------------------------------|------|---|
| Material number | : | 000000000000000000000000000000000000000 |
| Manufacturer or supplier's o | leta | ils |
| Company | : | Zep Inc. |
| Address | : | 350 Joe Frank Harris Parkway, SE Emerson, GA 30137 |
| Telephone | : | 404-352-1680 |

Emergency telephone numbers

| For SDS Information | : | Compliance Services 1-877-428-9937 |
|-------------------------|---|--|
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency | | In the District of Columbia 202-483-7616 |

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour | amber, brown |
| Odour | pleasant, like fruit |

GHS Classification

| Flammable aerosols Gases under pressure Skin sensitisation | | Category 1 Liquefied gas Category 1 |
|--|---|--|
| GHS label elements | | |
| Hazard pictograms | : | |
| Signal word | : | Danger |
| Hazard statements | : | H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. |
| Precautionary statements | : | Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. |



| P251 Pressurized container: Do ruse. P261 Avoid breathing dust/ fume/ P272 Contaminated work clothing the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash P333 + P313 If skin irritation or ra advice/ attention. P363 Wash contaminated clothing Storage: P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12 Disposal: P501 Dispose of contents/contain regulation | gas/ mist/ vapours/ spray. should not be allowed out of with plenty of soap and water. sh occurs: Get medical g before reuse. nt. Do not expose to 22 °F. |
|---|--|
| | use. P261 Avoid breathing dust/ fume/ P272 Contaminated work clothing the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash P333 + P313 If skin irritation or ra advice/ attention. P363 Wash contaminated clothing Storage: P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12 Disposal: |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|------------------------------|------------|-------------------|
| propane | 74-98-6 | >= 5 - < 10 |
| butane | 106-97-8 | >= 5 - < 10 |
| anhydro-D-glucitol trioleate | 26266-58-0 | >= 1 - < 3 |
| Linseed oil | 8001-26-1 | >= 1 - < 3 |
| Linseed oil | 8001-26-1 | >= 1 - < 3 |

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

| General advice | Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|---|
| If inhaled | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. |
| In case of eye contact | Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes. |



| Version 1.0 | Revision Date 01/15/2019 | Print Date 10/10/2019 |
|---|---|-------------------------------|
| If swallowed | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. | |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed Symptoms may include irritation, r May cause an allergic skin reactio Review section 2 of SDS to see al | edness, pain, and rash. n. |
| Notes to physician | : Treat symptomatically. Symptoms | s may be delayed. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet |
|---|---|--|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Carbon dioxide (CO2) Carbon monoxide Smoke |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | : | For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|
| Environmental precautions | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |



| Version 1.0 | Revision Date 01/15/2019 | Print Date 10/10/2019 |
|---|---|-----------------------|
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent mate acid binder, universal binder, sawo Sweep up or vacuum up spillage a container for disposal. | dust). |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Always replace cap after use. Do not breathe vapours or spray mist. |
|-----------------------------|--|
| Conditions for safe storage | BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool and well-ventilated place. |
| Materials to avoid | : Store and keep away from, oxidizing agents and acids. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|----------|-------------------------------------|---|-----------|
| propane | 74-98-6 | TWA | 1,000 ppm | ACGIH |
| | | TWA | 1,000 ppm 1,800 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 1,800 mg/m3 | OSHA Z-1 |
| | | TWA | 1,000 ppm 1,800 mg/m3 | OSHA P0 |
| | | PEL | 1,000 ppm 1,800 mg/m3 | CAL PEL |
| butane | 106-97-8 | TWA | 800 ppm | NIOSH REL |



| ersion 1.0 | Revision | Date 01/15/2019 | Print | Date 10/10/2019 |
|--|--|--|-----------------------------------|-----------------|
| | I | 1 | 1,900 mg/m3 | |
| | | TWA | 800 ppm 1,900 mg/m3 | OSHA P0 |
| | | PEL | 800 ppm 1,900 mg/m3 | CAL PEL |
| Linseed oil | 8001-26-1 | TWA (mist - total) | 10 mg/m3 | NIOSH REI |
| | | TWÁ (mist - respirable) | 5 mg/m3 | NIOSH REI |
| | | PEL (Total dust) | 10 mg/m3 | CAL PEL |
| | | PEL (respirable dust fraction) | 5 mg/m3 | CAL PEL |
| Engineering measures | : effective v | entilation in all pro | ocessing areas | |
| | : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines | | | |
| Hand protection Material Remarks | | | workplace should otective gloves. | be discussed |
| Eye protection | the workst | : Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles | | |
| Skin and body protection | : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. | | | |
| | | | | |
| Hygiene measures | concentrat : When usir When usir | ion of the danger ng do not eat or dr ng do not smoke. | ous substance at t | he work place |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : Aerosol containing a liquefied gas |
|------------------------------|--------------------------------------|
| Colour | : amber, brown |
| Odour | : pleasant, like fruit |
| Odour Threshold | : No data available |
| рН | : Not applicable |
| Melting point/freezing point | : Not applicable |
| Boiling point | : 315 °C |



| Version 1.0 | Revision Date 01/15/2019 | Print Date 10/10/2019 |
|--|--------------------------------|-----------------------|
| Flash point | : | |
| | No data available | |
| Evaporation rate | : No data available | |
| Flammability (solid, gas) | : Extremely flammable aerosol. | |
| Upper explosion limit | : No data available | |
| Lower explosion limit | : No data available | |
| Vapour pressure | : No data available | |
| Relative vapour density | : No data available | |
| Density | : 0.891 g/cm3 | |
| Solubility(ies) | | |
| Water solubility | : emulsifiable | |
| Partition coefficient: n- octanol/water | : No data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : No data available | |
| Viscosity | | |
| Viscosity, kinematic | : No data available | |
| Heat of combustion | : > 20 kJ/g | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|-------------------------------------|---|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air. No decomposition if stored and applied as directed. |
| Conditions to avoid | : Heat, flames and sparks. Extremes of temperature and direct sunlight. |
| Incompatible materials | : Acids Strong oxidizing agents |
| Hazardous decomposition products | : Carbon oxides |

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical : None known.



A07246 ZEP 70 003001 20N15

| Version 1.0 | Revision Date 01/15/2019 | Print Date 10/10/2019 |
|---------------------------------------|---|-----------------------------|
| Condition Symptoms of Overexposure | : Effects are immediate and delayed Symptoms may include irritation, re | |
| Carcinogenicity: | | |
| IARC | No component of this product present equal to 0.1% is identified as probable | |
| ACGIH | human carcinogen by IARC. No component of this product present equal to 0.1% is identified as a carcin | t at levels greater than or |
| OSHA | carcinogen by ACGIH. No component of this product present | |
| NTP | equal to 0.1% is on OSHA's list of reg No component of this product present equal to 0.1% is identified as a known by NTP. | t at levels greater than or |
| Acute toxicity | | |
| Product: | | |
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 m Method: Calculation method | g/kg |
| Acute inhalation toxicity | : Acute toxicity estimate : 136.36 mg Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method | g/l |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 m Method: Calculation method | g/kg |
| Skin corrosion/irritation | | |

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: May irritate eyes.

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available



Version 1.0

Revision Date 01/15/2019

Print Date 10/10/2019

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

| Partition coefficient: n- octanol/water <u>Components:</u> butane : Partition coefficient: n- octanol/water | |
|--|--|
| Octanol/water | |
| Mobility in soil | |
| No data available | |
| Other adverse effects | |
| No data available <u>Product:</u> | |
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances |
| Remarks | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |

SAFETY DATA SHEET



A07246 ZEP 70 003001 20N15

Version 1.0

Revision Date 01/15/2019

Print Date 10/10/2019

Additional ecological information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act



| /ersion 1.0 | Revision Date 01/15/2019 | Print Date 10/10/2019 |
|------------------------------|--|---------------------------|
| CERCLA Reportable Quar | ntity | |
| This material does not conta | ain any components with a CERCLA RQ. | |
| SARA 304 Extremely Haza | rdous Substances Reportable Quanti | ty |
| This material does not conta | ain any components with a section 304 E | HS RQ. |
| SARA 311/312 Hazards | : Flammable (gases, aerosols, liquids Gases under pressure Respiratory or skin sensitisation | s, or solids) |
| SARA 302 | : No chemicals in this material are su requirements of SARA Title III, Sect | , , , |
| SARA 313 | : This material does not contain any known CAS numbers that exceed the reporting levels established by SAR | ne threshold (De Minimis) |
| California Prop. 65 | | |

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

| DSL | All components of this product are on the Canadian DSL |
|------|--|
| TSCA | On TSCA Inventory |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



Version 1.0

Revision Date 01/15/2019


Print Date 10/10/2019

2

4

3

Further information



OSHA - GHS Label Information:

| Hazard pictograms | |
|--------------------------|---|
| Signal word | : Danger: |
| Hazard statements | : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. |
| Precautionary statements | |
| | Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed ou of the workplace. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. |
| | Disposal: Dispose of contents/container in accordance with local regulation. |

| Version: | 1.0 |
|----------------|------------|
| Revision Date: | 01/15/2019 |
| Print Date: | 10/10/2019 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.



Version 1.0

Revision Date 01/15/2019

Print Date 10/10/2019