

| Version 1.0 | Revision Date 02/02/2015 | Print Date 05/17/2016 |
|-------------|--------------------------|-----------------------|
| | | |

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name | : | Zep Meter Mist Cinnamon DZ Aero |
|------------------------------|-----|---|
| Material number | : | 00000000000327101 |
| Manufacturer or supplier's d | eta | ils |
| Company | : | Zep Inc. |
| Address | : | 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318 |
| Telephone | : | 404-352-1680 |

| Emergency telephone numbers | | | |
|-----------------------------|---|--|--|
| For SDS Information | : | Compliance Services 1-877-428-9937 | |
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded | |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. | |
| Emergency | | In the District of Columbia 202-483-7616 | |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour | colourless, clear |
| Odour | characteristic |

GHS Classification

| Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure | Category 1 Liquefied gas Category 2A Category 1 Category 3 (Central nervous system) |
|---|--|
| GHS Label element | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. |
| Precautionary statements | : Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames |



| Version 1.0 | Revision Date 02/02/2015 | Print Date 05/17/2016 | | | |
|--------------------------|---|---|--|--|--|
| | and other ignition sources. No sm P211 Do not spray on an open flat P251 Pressurized container: Do nuse. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P272 Contaminated work clothing the workplace. P280 Wear eye protection/ face pu P280 Wear protective gloves. | me or other ignition source. ot pierce or burn, even after gas/ mist/ vapours/ spray. nandling. ell-ventilated area. should not be allowed out of | | | |
| | Response:P302 + P352 IF ON SKIN: Wash vP304 + P340 + P312 IF INHALED:and keep at rest in a position comePOISON CENTER or doctor/ physeP305 + P351 + P338 IF IN EYES:for several minutes. Remove contaeasy to do. Continue rinsing.P333 + P313 If skin irritation or raseadvice/ attention.P363 Wash contaminated clothingStorage:P403 + P233 Store in a well-ventilationtightly closed.P405 Store locked up.P410 + P412 Protect from sunlighttemperatures exceeding 50 °C/ 12Disposal:P501 Dispose of contents/containregulation. | Remove victim to fresh air fortable for breathing. Call a bician if you feel unwell. Rinse cautiously with water act lenses, if present and sh occurs: Get medical sts: Get medical advice/ before reuse. ated place. Keep container t. Do not expose to 22 °F. | | | |
| Potential Health Effects | | | | | |
| Carcinogenicity: | | | | | |
| IARC | No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC. | | | | |
| ACGIH | No component of this product present equal to 0.1% is identified as a carcin- carcinogen by ACGIH. | | | | |
| OSHA | No component of this product present equal to 0.1% is identified as a carcin | ÷ | | | |
| NTP | carcinogen by OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. | | | | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components



| sion 1.0 | Revision Date 02/02/2015 | Print Date 05/17/2016 | |
|------------------|--------------------------|-----------------------|--|
| Chemical Name | CAS-No. | Concentration [%] | |
| acetone | 67-64-1 | >= 70 - < 90 | |
| propane | 74-98-6 | >= 20 - < 30 | |
| cinnamyl alcohol | 104-54-1 | >= 0.1 - < 1 | |
| coumarin | 91-64-5 | >= 0.1 - < 1 | |
| eugenol | 97-53-0 | >= 0.1 - < 1 | |

SECTION 4. FIRST AID MEASURES

| General advice | : | Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|---|--|
| lf inhaled | : | Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice. |
| In case of skin contact | : | Wash off immediately with plenty of water for at least 15 minutes. |
| In case of eye contact | : | Remove contact lenses. Rinse immediately with plenty of water for at least 15 minutes. Keep eye wide open while rinsing. |
| If swallowed | : | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
|---|--|
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Carbon dioxide (CO2) Carbon monoxide Smoke |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |



Version 1.0

Revision Date 02/02/2015

Print Date 05/17/2016

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|--|
| Environmental precautions | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. | |
|-----------------------------|---|-----------|
| Conditions for safe storage | BEWARE: Aerosol is pressurized. Keep away from direct exposure and temperatures over 50 °C. Do not open by for or throw into fire even after use. Do not spray on flames of red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. | orce r |
| Materials to avoid | Oxidizing agents | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|---------|-------------------------------------|---|-----------|
| acetone | 67-64-1 | TWA | 500 ppm | ACGIH |
| | | STEL | 750 ppm | ACGIH |
| | | TWA | 250 ppm 590 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 2,400 mg/m3 | OSHA Z-1 |
| | | TWA | 750 ppm 1,800 mg/m3 | OSHA P0 |



| Version 1.0 | Revision | Revision Date 02/02/2015 | | Print Date 05/17/2016 | |
|-------------|----------|--------------------------|--------------------------|-----------------------|--|
| | | STEL | 1,000 ppm 2,400 mg/m3 | OSHA PO | |
| propane | 74-98-6 | TWA | 1,000 ppm | ACGIH | |
| | | TWA | 1,000 ppm 1,800 mg/m3 | NIOSH REL | |
| | | TWA | 1,000 ppm 1,800 mg/m3 | OSHA Z-1 | |
| | | TWA | 1,000 ppm 1,800 mg/m3 | OSHA P0 | |

Biological occupational exposure limits

| Component | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
|-------------|---------|------------|------------|-----------|---------------|-----------|
| | | parameters | specimen | time | concentration | |
| 2-PROPANONE | 67-64-1 | Acetone | Urine | End of | 50 mg/l | ACGIH BEI |
| | | | | shift (As | | |
| | | | | soon as | | |
| | | | | possible | | |
| | | | | after | | |
| | | | | exposure | | |
| | | | | ceases) | | |

| Personal protective equipme | nt | |
|-----------------------------|----|---|
| Respiratory protection | : | In the case of vapour formation use a respirator with an approved filter. In the case of dust or aerosol formation use respirator with an approved filter. |
| Hand protection | | |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : | Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. |
| Skin and body protection | : | impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : Aerosol containing a liquefied gas |
|------------|--------------------------------------|
| Colour | : colourless, clear |
| Odour | : characteristic |
| рН | : not applicable |

SAFETY DATA SHEET



Zep Meter Mist Cinnamon DZ Aero

| Version 1.0 | Revision Date 02/02/2015 | Print Date 05/17/2016 |
|--|--|-----------------------|
| Melting point/freezing point | : not applicable | |
| Boiling point | : 55.6 °C | |
| Flash point | : no data available | |
| Evaporation rate | : <1 | |
| Upper explosion limit | : no data available | |
| Lower explosion limit | : no data available | |
| Vapour pressure | : not determined | |
| Density | : 0.75 g/cm3 | |
| Solubility(ies) | | |
| Water solubility | : soluble in hot water, soluble in col | ld water |
| Solubility in other solvents | : not determined | |
| Partition coefficient: n- octanol/water | : no data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : no data available | |
| Viscosity | | |
| Viscosity, kinematic | : no data available | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|------------------------------------|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air. |
| Conditions to avoid | : Heat, flames and sparks. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : Carbon oxides |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

| Product: | |
|---------------------|---|
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |



| Version 1.0 | Revision Date 02/02/2015 | Print Date 05/17/2016 |
|--|--------------------------------------|-----------------------|
| | Revision Bate OLIOLIZOTS | 1 mil Date 00/11/2010 |
| <u>Components:</u> | | |
| cinnamyl alcohol: Acute oral toxicity | : LD50 Oral rat: > 2,000 mg/kg | |
| | | |
| Acute dermal toxicity | : LD50 Dermal rabbit: > 5,000 mg/kg | |
| coumarin: | | |
| Acute oral toxicity | : LD50 Oral rat: 293 mg/kg | |
| Skin corrosion/irritation | | |
| Product: | | |
| Remarks: May cause skin ir | rritation and/or dermatitis. | |
| ., | | |
| Serious eye damage/eye irrita | tion | |
| Product: | | |
| Remarks: Severe eye irritat | ion | |
| Respiratory or skin sensitisation | on | |
| Product: | | |
| Remarks: Causes sensitisa | tion. | |
| Germ cell mutagenicity | | |
| no data available | | |
| Carcinogenicity | | |
| no data available | | |
| Reproductive toxicity | | |
| no data available | | |
| acetone: | | |
| propane: cinnamyl alcohol: | | |
| coumarin: | | |
| eugenol: | | |
| STOT - single exposure | | |
| no data available | | |
| STOT - repeated exposure | | |
| no data available | | |
| Aspiration toxicity | | |
| no data available | | |
| Further information | | |
| Product: | | |
| Bomarka: Symptoma of a | waravnasura mav ba baadaaba dizzinaa | a tirodocco pousos |

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea

SAFETY DATA SHEET



Zep Meter Mist Cinnamon DZ Aero

Version 1.0

Revision Date 02/02/2015

Print Date 05/17/2016

and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

| no data available | |
|--|--|
| Persistence and degradability | |
| no data available Bioaccumulative potential | |
| Product: | |
| Partition coefficient: n- octanol/water <u>Components:</u> cinnamyl alcohol : Partition coefficient: n- octanol/water | : Remarks: no data available : Pow: 1.636 |
| Mobility in soil | |
| no data available | |
| Other adverse effects | |
| no data available Product: | |
| Regulation Remarks | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : no data available |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents. Dispose of as unused product. |



Version 1.0

Revision Date 02/02/2015

Print Date 05/17/2016

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International regulation

| IATA-DGR | |
|--|-----------------------|
| UN/ID No. | : 1950 |
| Proper shipping name | : Aerosols, flammable |
| Class | : 2.1 |
| Packing group | : Not Assigned |
| Labels | : 2.1 |
| Packing instruction (cargo aircraft) | : 203 |
| Packing instruction (passenger aircraft) | : 203 |
| IMDG-Code | |
| UN number | : 1950 |
| Proper shipping name | : AEROSOLS |
| Class | : 2.1 |
| Packing group | : Not Assigned |
| Labels | : 2.1 |
| EmS Code | : F-D, S-U |
| Marine pollutant | : no |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

| 49 CFR UN/ID/NA number | : 1950 |
|----------------------------------|----------------|
| Proper shipping name | : Aerosols |
| Class | : 2.1 |
| Packing group | : Not Assigned |
| Labels | : 2.1 |
| ERG Code | : 126 |
| Marine pollutant | : no |

Special precautions for user

not applicable

SECTION 15. REGULATORY INFORMATION



Version 1.0

Revision Date 02/02/2015

Print Date 05/17/2016

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------|---------|-----------------------|--------------------------------|
| acetone | 67-64-1 | 5000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| the | | |
|--|--|--|
| al 9 SARA | | |
| State of | | |
| The components of this product are reported in the following inventories: | | |
| On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL. Not in compliance with the inventory Not in compliance with the inventory | | |
| | | |

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 02/02/2015

Print Date 05/17/2016





HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 4 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 =Slight,

OSHA GHS Label Information:

| Hazard pictograms | |
|--------------------------|---|
| Signal w ord | : Danger: |
| Hazard statements | Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness. |
| Precautionary statements | : |
| | Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the workplace. Wear eye protection/face protection. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. Stor age: Store in a w ell-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation. |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

^{2 =} Moderate, 3 = High 4 = Extreme, * = Chronic



Version 1.0

Revision Date 02/02/2015

Print Date 05/17/2016