

### Section 1. Product and Company Identification

<b>Product Name</b>	<b>BRASSO® MULTI-PURPOSE METAL POLISH</b>	<b>MSDS#</b>	Not available.
<b>Product Description</b>	Multi-purpose metal polish for cleaning and polishing brass, pewter, chrome, copper and stainless steel.	<b>Validation Date</b>	3/24/2005
<b>Manufacturer</b>	Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225	<b>Print Date</b>	3/24/2005
<b>Product Identifier</b>	Not available.	<b>In case of Emergency:</b>	Telephone: 800-228-4722
<b>Item Number</b>	0024708	<b>Transportation Emergencies:</b>	Chemtrec: 1-800-424-9300 (U.S. & Canada)  Outside the U.S & Canada (North America), call: 703-527-3887
<b>Formula Number</b>	1341-014 (0024708)		
<b>UPC Number</b>	26600-06200 (8 oz.); 26600-76523 (8 oz.); 26600-05315 ( 1 gal.).		

### Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits : TLV/PEL
1) PETROLEUM DISTILLATE (STODDARD SOLVENT)	8052-41-3	25-30	TWA: 525 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States] TWA: 100 (ppm) from ACGIH (TLV) [United States] TWA: 2900 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 500 (ppm) from OSHA (PEL) [United States] Not available.
2) DESULFURIZED PETROLEUM DISTILLATE	64742-81-0	30-35	
3) SILICA, CRYSTALLINE	14808-60-7	9-12	TWA: 0.1 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States] Respirable. TWA: 0.3 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] Respirable.
4) KAOLIN	1332-58-7	10-15	TWA: 5 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] Respirable. TWA: 15 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] Total Dust. TWA: 2 (mg/m <sup>3</sup> ) from ACGIH (TLV) [ United States] Respirable.
5) OLEIC ACID	112-80-1	7-10	Not available.
6) AMMONIUM HYDROXIDE	1336-21-6	2-3	Not available.

### Section 3. Hazards Identification

<b>Emergency Overview</b>	DANGER: HARMFUL OR FATAL IF SWALLOWED. EYE AND SKIN IRRITANT. VAPORS HARMFUL IF INHALED. COMBUSTIBLE. Do not ingest. DO NOT inhale. DO NOT breathe dust from dried product. Use product in a well ventilated area. Keep away from heat, sparks and flame. Keep container closed when not in use. Contains petroleum distillates and silica.  KEEP OUT OF REACH OF CHILDREN.
---------------------------	---

**Section 4. First Aid Measures**

Eye Contact	Immediately rinse eyes with water, remove any contact lenses, and continue rinsing eyes for fifteen minutes. Call a doctor or poison control center if symptoms persist.
Skin Contact	In case of skin contact, wash skin thoroughly with soap and water. If irritation persists, consult a physician.
Inhalation	Remove to fresh air. If irritation persists or there is any trouble breathing, get immediate medical attention.
Ingestion	If swallowed, DO NOT induce vomiting! Rinse mouth with water. IMMEDIATELY contact a physician or poison control center. NEVER give an unconscious person anything to ingest.

**Section 5. Fire and Explosion Data**

Flammability	Combustible. See Section 14 for any Shipping Classifications.
Flash Point	CLOSED CUP: 41.5°C (106.7°F). (Setaflash.)
Explosive Limits in Air	Not available.
Products of Combustion	Not available.
Fire and Explosion Hazards	Keep away from heat, sparks or open flame.
Fire Fighting Media and Instructions	Use water fog, foam, dry chemical or carbon dioxide. Product will float and can be reignited on surface of water.
Special Fire Fighting Instructions	The use of a direct stream of water can spread burning liquid. Wear self-contained breathing apparatus and full protective clothing appropriate for fighting a chemical fire.

**Section 6. Accidental Release Measures**

Accidental Spill	Small spills: Soak up with an inert absorbent material and dispose of in an appropriate waste container. Wipe surface residue with dry paper towels and discard into trash.  Large spills should be diked, contained and collected for later disposal according to local, state or federal regulations.
------------------	---

**Section 7. Handling and Storage**

Handling and Storage	DANGER: HARMFUL OR FATAL IF SWALLOWED. EYE AND SKIN IRRITANT. VAPORS HARMFUL IF INHALED. COMBUSTIBLE. Do not ingest. DO NOT inhale. DO NOT breathe dust from dried product. Use product in a well ventilated area. Keep away from heat, sparks and flame. Keep container closed when not in use. Contains petroleum distillates and silica.  Store in an area inaccessible to children and pets. Close container after each use. KEEP OUT OF REACH OF CHILDREN.
----------------------	---

**Section 8. Exposure Controls/Personal Protection**

Ventilation Requirements	None normally required. Use sufficient ventilation to keep hazardous ingredients below their Threshold Limit Values (see Section #2) during major spills, clean-up or fire operations.
Eye Protection	Avoid contact with eyes. Emergency responders should wear full eye and face protection.
Skin Protection	None required under normal use conditions. May cause mild skin irritation after prolonged or repeated use. Emergency responders should wear impermeable gloves.
Respiratory Protection	None required.
Other Protection	None required under normal use conditions. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Work/Hygienic Practices	Wash thoroughly with soap and water after handling.

**Continued on Next Page**

**Section 9. Physical and Chemical Properties**

Description	Liquid. (Slightly viscous. Opaque liquid.)	Odor	Ammoniacal.
pH	Not applicable.	Color	Beige to Tan. (Light.)
Boiling/Condensation Point	82.22 - 93.33° C (180 - 200° F)		
Specific Gravity	0.97 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Viscosity	Not available.		
Solubility	Insoluble.		
Physical Chemical Comments	Not available.		

**Section 10. Stability and Reactivity Data**

Chemical Stability	The product is stable.
Conditions of Instability	Keep away from heat and open flame.
Incompatibility with Various Substances	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide and unidentified organic compounds.
Hazardous Polymerization	Will not occur.

**Section 11. Toxicological Information**

Exposure effects

Eye Contact	Eye irritant.
Skin Contact	Skin irritant.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful or fatal if swallowed.
Carcinogenicity	Respirable crystalline silica is designated as an IARC Group 1 carcinogen, NTP suspect carcinogen and OSHA suspect carcinogen. However, the silica present in this product is not in a respirable form, when used according to label directions.

**Section 12. Ecological Information**

Ecotoxicity	Not available.
-------------	----------------

**Section 13. Disposal Considerations**

Waste Disposal Dispose of in accordance with local, state and federal regulations.


**Section 14. Transport Information**

DOT Classification	Not regulated (Non Bulk Road / Rail) see 49 CFR 173.150 (f) (2) (3).	
Proper Shipping Name	Not applicable.	
DOT Identification Number	Not applicable.	
Packing Group	Not applicable.	
Maritime Transportation	Not applicable.	
Hazardous Substances Reportable Quantity	Not applicable.	
Special Provisions for Transport	IMDG / IMO: See IMDG Code and EMS = F-E, S-E. ICAO / IATA: See DG List.	
TDG Classification	Not regulated (Non Bulk Road / Rail) see TDG Part 2.17.2 & Part 23.2.	
ADR Classification	Not applicable.	
IMDG Classification	UN 1993, Flammable Liquid, N.O.S. (Petroleum Distillate), Class 3, PG III, Limited Quantity.	
IATA Classification	UN 1993, Flammable Liquid, N.O.S. (Petroleum Distillate), Class 3, PG III	

**Section 15. Regulatory Information**

Federal and State Regulations	SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:		
	1) AMMONIUM HYDROXIDE	Not available.	2-3 Not avai
Other Classifications	California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:		
	1) SILICA, CRYSTALLINE	Not available.	10.5 Not avai
Other Classifications	WHMIS (Canada)	Not a WHMIS controlled product.	

**Section 16. Other Information**

HMIS (U.S.A.)	<table border="1"> <tr><td>Health Hazard</td><td>2</td></tr> <tr><td>Fire Hazard</td><td>2</td></tr> <tr><td>Reactivity</td><td>0</td></tr> <tr><td>Personal Protection</td><td>B</td></tr> </table>	Health Hazard	2	Fire Hazard	2	Reactivity	0	Personal Protection	B	National Fire Protection Association (U.S.A.)		<p>Fire Hazard</p> <p>Reactivity</p> <p>Specific hazard</p>
Health Hazard	2											
Fire Hazard	2											
Reactivity	0											
Personal Protection	B											
		NFPA Aerosol Level	Not applicable.									
Validated by Product Safety on 3/24/2005.		Printed 3/24/2005.										

Notice to Reader

Continued on Next Page

**BRASSO® MULTI-PURPOSE METAL  
POLISH**

Page Number: 5

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

